	REVISION:				* HISTORY *								
DATE	: 01MAY03	DATA TECH:	WG ORGN SYMBOL:				ı	GECC PR NR :	PR NR :			PAGE 1 OF 3	
CAGE			·		I	ÆFE	RENCE NR:	NOUN:	_J	TF39 / C-5	NSN:		
074	07482 GENERAL ELECTRIC				·			9667M27G26	1			1560015022884UC	
CAGE	CAGE DRAWING NUMBER		REV	NR SHEETS	NR CARDS		DIST		REQUIREMENTS				
07482	82 9667M27 & BCO		AA	0002	0000	s		COWL ASSEMBLY	G26 ECO 2002C001				
07482	PL9667M27 & ECO	1	М	0003	0000	s			G25,ECO 2002C001 MAKES IT A G26				
07482	9689M49 & ECO	/	AC	0025	0000	\$		FAN COWL	G06 C/O P	L9667M27	ECC 2001C0001-0004		
07462	9667M33	/	R	0001	0000	S		CLEVIS HINGE	G07,G08	II .	OD	DARA	
07482	9667M34	/	К	0001	0000	s		SHOE RING	G03	п	$ \cup D$	ROM	
07482	102A285 & ECO	/	С	0003	0000	s		ID PLATE	Р3	19			
07482	9667M36	/	A	0001	0000	s		SHIM	P01	11			
07482	9667M35	/		0001	0000	S	-	SHIM	PO1 "				
07482	9667M37	/	А	0001	0000	s		SHIM	P01	n			
07482	1956M16	/	A	0001	0000	s		SHOE PYLON BEAM	G01	в			
07482	9689M12	/	А	0001	0000	М		DOUBLE RING	POI	н			
07482	P1TF3 & AM	/	AF	0065	0000	S		DRAWING INTURPERTATION	/ 0/0 96	667M27			
07482	P23TF3 & AM	/	AN	0024	0000	S		IDENTIFICATION MARKING PER	1	n			
07482	P12TF2	/	н	0011	0000	s		TORQUE PER	/	н			
07482	P29TF2	/	A	0003	0000	S	1	LIMITS FOR HI SHEER RIVETS	/ C/O 96	689M49 ECO 2	001C0004		
07482	PITF18	/	н	0033	0000	s		FASTENERS	/	tf	····		
07482	9652M91	/	A	0001	0000	м		UNDIMENSIONED DRAWING	1	ii			
07482	9679M13	/	A	0001	0000	s		MASTER GAGE INFORMATION DWG	G01	¥			
07482	1749M25	/	В	0001	0000	s		WJRE WRAP	P02, P03, P06	н	SHT 14 OF EO		
07482	PL9689M49	/	D	0007	0000	s			/	11	G05 AND ECO MAKES IT	A G06	
07482	1291M57	/	T	0001	0000	s		EXTERIOR MARKINGS	/ C/O 96	689M49			
07482	9679M68	/	D	0001	0000	s	-	GUIDE	G01,G02 C/O PI	L9689M49		***	
07482	9667M29	/	G	0001	0000	s		CLEVIS	P02,P03	n			
07492	9667M32	/		0001	0000	s		SHIM	P01	k			
07482	9667M30	/	F	0001	0000	s		GUIDE	P01,P02	II .			
07482	9679M03	/	L	0001	0000	s		UPPER & LOWER SUPPORT	P01,P02	-	XPUH! (CONTROL	
07482	9657M85	/	В	0001	0000	s		ADHESIVE	P03,P07	n			
07482	A50TF95	1	В	0006	0000	s	T	ADHESIVE	C1-A	N			
07482	9667M67 & ECO	/	В	0004	0000	s		SEALING	P01 · P03	n			
07482	9679M54		E	0001	0000	s		FAIRING	P03, P04	11			

į

					EN	GINEERING DATA	LIST * HISTORY *			
DATE	01MAY03 DATA TECH: WG ORGN SYMBOL: LGECC			APPLICATION: PAGE 2 OF 3						
CAGE: 074		JRER NAME: ELECTRIC					R	EFEI	RENCE NR: 9667M27G26	NOUN: NSN: 1560015022884UC
CAGE	AGE DRAWING NUMBER			REV	NR SHEETS		FURN CODE		NOUN	REQUIREMENTS
07482	9654M24		/	В	0001	0000	S		FLAT WASHER	P03 C/O PL9689M49
07482	1378M70		1	А	0001	0000	s		CLEVIS	G01 "
07482	1378M96		/		0001	0000	S		SHIM	P0'_ "
07482	PL9667M33		/	С	0001	0000	S			
07482	9667M60		j	В	0001	0000	s		STUD	P12 C/C PL9667M33
07482	P8TF3 & ACC		/	н	0040	0000	S		WELD PER	/ C/O 9667M33
07482	PL9667M34		/	С	0007	0000	S			
07482	P1TF10		/	P	0011	0000	S		SHEET METAL PARTS PER	/ C/O 9667M35
07482	A50TF90		/	В	0007	0000	S		ADHESIVE	/ "
07482	A50TF106		/	В	0004	ccoo	S		TAPE	/ C/C 1956M16
07482	PL1956M16		/		0001	0000	s			G01
07482	PL9689M12		/	В	0001	0000	s			P01
07482	4012183		/		0000	0000			MASTER GAGE	-683 C/O 9679M13 DATA NOT REQUIRED. THE C-5 CONTACT FOR OBTAINING
										THIS MASTER GAGE IS DENNIS GENTRY AT 468 6850, WR-ALC/LASM, OR 1-478-926-6850
								1		THIS MASTER GAGE WILL BE PROVIDED TO THE WINNING BIDDER.
07482	PL9679M68		/	A	0001	0000	s			
07482	9665M74		1	В	0001	0000	S		RUBBER STRIP	P01,P02 C/O 9679M68
07482	P1TF11		/	F	0009	0000	s		FORGING & CASTING	/ C/C 9679M03
07482	P1TF9		/	L	0014	0000	S		MACHINE PARTS PER	/ C/O 1378M70
07482	P50T7		/	С	0001	0000	S		PASSIVATION PER	/ "
07482	A50TF107		/	Е	0001	0000	S		EPOXY RESIN PRIMER	/
07482	P12TF24		1	н	0031	0000	s		ASSEMBLY PER	/ "
07482	PL1378M70		/	В	0001	0000	S			
07482	1378M69		/	А	0001	0000	£		TRANSLATING CLV.	/ C/O PL1378M70
07482	9019M27		/	С	0001	0000	s	1	BUSHING	/
07482	P3TF2		/	AF	0025	0000	s		FLUOR PENETRANT	/ C/O 1378M69
07482	P23TF7		/	A	0004	0000	S		FLUOR ACCEPTABILITY	/ "
07482	P29TF7		/	F	0004	0000	S		FLUOR ACCEPTABILITY LIMITS	/ C/O 9019M27
07482	SPARES		/		0000	0000				OMIT ATTACHMENT HOLES FOR ITEMS 57 & 58 CALLED OUT ON ECO 2001C0001 PAGE 1
				1						FOR 9689M49.

REVISION:						EN	IGINEERING	DATA	LIS	<u> </u>	* HISTORY *		
DATE :	: 01MAY03 DATA TECH : WG ORGN SYMBO			BOL	· L	GECC	PR NR :	APPLICATION: TF39 / C-5			PAGE 3 OF 3		
CAGE: 07482	MANUFACT GENERAL	URER NAME: ELECTRIC		<u> </u>				RENCE NR: M27G26			NOUN:	ì	NSN: 1560015022884UC
CAGE	DRAWING	NUMBER	REV	NR SHEETS	NR CARDS	FURI	DIST	илси				REQUIREMENTS	
												CD i	ROM
	~												
									.,				
\vdash		-											
											Ē	XPORT CON	VTROL

STANDARD ENGINEERING TEXT

1. ALL GOVT DOCUMENTS REFERENCED IN THIS DATA PKG ARE STIPULATED IN DOD INDEX OF SPECS AND STANDARDS. COPIES OF SPECS LISTED IN DODISS CAN BE OBTAINED BY WRITING TO THE DEPT OF DEFENSE SINGLE STOCK POINT (DODSSP), 700 ROBBINS AVE, BLDG #4, SEC D, PHILADELPHIA, PA, 19111-5098. TELEPHONE NUMBER FOR SPECIAL ASSISTANCE CUSTOMER SERVICE IS (215) 697-2179, FAX NUMBER (215) 697-1462, WEBSITE, HTTP://WWW.DODSSP.DAPS.MIL. 2. WHEN A CANCELLED GOVT DOCUMENT IS SUPERSEDED BY ANOTHER DOCUMENT, THE SUPERSEDING DOCUMENT WILL BE IN EFFECT UNLESS OTHERWISE SPECIFIED. IN THE EVENT THERE IS NO SUPERSEDING DOCUMENT, OFFERORS MAY SUBMIT, AT THEIR DISCRETION, ALTERNATIVES TO THE SUPERSEDED OR CANCELLED GOVT DOCUMENTS CITED IN THE TECHNICAL DATA PACKAGE. UNLESS THE ALTERNATIVE IS SPECIFICALLY APPROVED BY THE GOVT, THE SUPERSEDED OR CANCELLED DOCUMENTS SHALL REMAIN FULLY APPLICABLE. 3. AS APPLICABLE, ALL CONTRACTOR DOCUMENTS WHICH REFERENCE QUALIFICATION BY THE PRIME ARE CHANGED TO READ "QUALIFICATION BY THE GOVT". DRAWINGS IDENTIFIED WITH FURNISH CODE "M" ARE PROVIDED HEREIN FOR REFERENCE ONLY. THE SUCCESSFUL BIDDER UPON HIS REQUEST TO THE PROCUREMENT CONTRACTING OFFICE WILL BE FURNISHED A FULL SCALE DRAWING ON ALL STABLE MATERIAL.

WARNING - THIS DOCUMENT CONTAINS TECHNICAL DATA WHOSE EXPORT IS RESTRICTED BY THE ARMS EXPORT CONTROL ACT (TITLE 22, U.S.C., SEC 2751, ET SEQ.) OR THE EXPORT ADMINISTRATION ACT OF 1979, AS AMENDED, TITLE 50, U.S.C., APP. 2401 ET SEQ. VIOLATORS OF THESE EXPORT LAWS ARE SUBJECT TO SEVERE CRIMINAL PENALTIES. (SEE ATTACHMENT 1)

ENGINEERING DATA LIST REMARKS

FURNISHED METHOD CODE LEGEND:

- C CLASSIFIED DOCUMENT.
- S FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED; FURNISHED WITH CONTRACT AWARD.
- X DATA SUPPLIED (NOT IN EDCARS). G GOV'T DOCUMENT.
- R FURNISHED BY PCD UPON REQUEST. O OTHERS, CONTRACTOR
 - P PARTIAL DOCUMENT FURNISHED.
- MUST ACQUIRE.

V - VENDOR DRAWING; (NOT PROVIDED) .

A - DATA NOT AVAILABLE.

					EN	GIN	EERING DATA LI	* HISTORY*
CAGE	DRAWING NUMBER	REV	NR SHEETS	NR CARDS	FURN CODE	DIST CODE	NOUN	REMARKS
		-		┼	<u> </u>			
					 	ļ		
				 	+			
		 		-	1			
		 		+	-			
		-	 	+-	+			
·		4-	-	-				
<u></u>			<u> </u>			1	<u> </u>	

STANDARD ENGINEERING TEXT

THIS DATA MAY BE RELEASED BY CONTRACTING PERSONNEL AS PART OF THE SOLICITATION TO ANY INDIVIDUAL OR FIRM WHICH REQUESTS A COPY OF THE RFP, PROVIDED THE RECIPIENT IS EITHER A QUALIFIED U.S. CONTRACTOR WITH AN APPROVED DD FORM 2345 OR A FOREIGN SOURCE AUTHORIZED TO RECEIVE THE DATA BY THE STATE DEPARTMENT'S MUNITION CONTROL OFFICE. THE FOLLOWING GOVERNS THESE RECIPENTS' USE OF THE DATA: THE DATA MAY BE USED AND DISSEMINATED AS NECESSARY, AND ONLY AS NECESSARY, BY AN INDIVIDUAL OR ENTERPRISE, IN CON-NECTION WITH THE ACQUISITION TO WHICH THIS EDL RELATES, TO DETERMINE WHETHER OR NOT TO SUBMIT A PROPOSAL, TO SUBMIT A PROPOSAL AND/OR TO PERFORM UNDER ANY RESULTING CONTRACT, AS EITHER A PRIME CONTRACTOR OR SUB-CONTRACTOR AT ANY TIER. THE DATA MUST BE DESTROYED WHEN INVOLVEMENT IN THE ACQUISITION PROCESS ENDS. THE DATA MAY ONLY BE DISSEMINATED TO INDIVIDUALS OR ENTERPRISES ELIGIBLE TO OBTAIN EXPORT-CONTROLLED TECHNICAL DATA IN ACCORDANCE WITH THE LAWS AND REGULATIONS OF THE U.S. GOVERNMENT.

ALL DATA SHOWN AS UNMARKED IN THE DISTRIBUTION CODE COLUMN IS HEREBY ASSIGNED DISTRIBUTION CODE C, "DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND THEIR CONTRACTORS; (CRITICAL TECHNOLOGY); (EFFECTIVE DATE OF THIS PROCEDURE, 06 DEC 94)." OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED TO LEEC. PRIOR TO ANY FURTHER DISSEMINATION OF THE DATA IN-TERNALLY WITHIN YOUR BUSINESS OR TO EXTERNAL SOURCES, REGARDLESS OF THE MEDIUM OR FORM OF DISTRIBUTION, ALL MARKINGS AND APPLICABLE EXPORT-CONTROL WARNING NOTICES MUST BE APPLIED TO ANY UNMARKED DATA IN ACCORDANCE WITH MIL-STD-1806.

ENGINEERING DATA LIST REQUIREMENTS

- C CLASSIFIED DOCUMENT.
- S FURNISHED WITH SOLICITATION.
- M STABLE BASE DRAWING REQUIRED. V VENDOR DRAWING: FURNISHED WITH CONTRACT AWARD. (NOT PROVIDED).
- FURNISHED ME THOD CODE LEGEND: X DATA SUPPLIED (NOT IN EDCARS).
 - R FURNISHED BY PCO UPON REQUEST. O OTHERS, CONTRACTOR
 - P-PARTIAL DOCUMENT FURNISHED.
- G GOV'T DOCUMENT. MUST ACQUIRE.
- A DATA NOT AVAILABLE.

NOTICE TO ACCOMPANY THE DISSEMINATION OF EXPORT- CONTROLLED TECHNICAL DATA

If you print or display an abstract of any unclassified report marked EXPORT CONTROL, the following notice applies.

- 1. Export of information contained herein, which includes, in some circumstances, release to foreign nationals within the United States, without first obtaining approval or license from the Department of State for items controlled by the International Traffic in Arms Regulations (ITAR), or the Department of Commerce for items controlled by the Export Administration Regulations (EAR), may constitute a violation of law.
- 2. Under 22 U.S.C. 2778 the penalty for unlawful export of items or information controlled under the ITAR is up to 2 years imprisonment, or a fine of \$100,000, or both. Under 50 U.S.C., Appendix 2410, the penalty for unlawful export of items or information controlled under the EAR is a fine of up to \$1,000,000, or five times the value of the exports, whichever is greater; or for an individual, imprisonment of up to 10 years, or a fine of up to \$250,000, or both.
- 3. In accordance with your certification that establishes you as a "qualified U.S. contractor," unauthorized dissemination of this information is prohibited and may result in disqualification as a qualified U.S. contractor, and may be considered in determining your eligibility for future contracts with the Department of Defense.
- 4. The U.S. Government assumes no liability for direct patent infringement, or contributory patent infringement or misuse of technical data.
- 5. The U.S. Government does not warrant the adequacy, accuracy, currency, or completeness of the technical data.
- 6. The U.S. Government assumes no liability for loss, damage, or injury resulting from manufacture or use for any purpose of any product, article, system, or material involving reliance upon any or all technical data furnished in response to the request for technical data.
- 7. If the technical data furnished by the Government will be used for commercial manufacturing or other profit potential, a license for such use may be necessary. Any payments made in support of the request for data do not include or involve any license rights.
- 8. A copy of this notice shall be provided with any partial or complete reproduction of these data that are provided to qualified U.S. contractors.

10 U.S.C. 140c (DoD Directive 5230.25 (Encl 5)